

Indiana University – Purdue University Fort Wayne
Opus: Research & Creativity at IPFW

Computer and Electrical Engineering Technology &
Information Systems and Technology Senior Design
Projects

School of Engineering, Technology and Computer
Science Design Projects

4-29-2003

Phase-Locked Loop Fiber Optics Communications Link

Todd A. Kiser

Indiana University - Purdue University Fort Wayne

Follow this and additional works at: http://opus.ipfw.edu/etcs_seniorproj



Part of the [Computer Sciences Commons](#), and the [Engineering Commons](#)

Opus Citation

Todd A. Kiser (2003). Phase-Locked Loop Fiber Optics Communications Link.
http://opus.ipfw.edu/etcs_seniorproj/41

This Senior Design Project is brought to you for free and open access by the School of Engineering, Technology and Computer Science Design Projects at Opus: Research & Creativity at IPFW. It has been accepted for inclusion in Computer and Electrical Engineering Technology & Information Systems and Technology Senior Design Projects by an authorized administrator of Opus: Research & Creativity at IPFW. For more information, please contact admin@lib.ipfw.edu.

**PHASE-LOCKED LOOP
FIBER OPTICS
COMMUNICATIONS LINK**

By

Todd A. Kiser

Presented to:

Dr. Karen Griggs
English Department

&

Professor Thomas Laverghetta
Electrical and Computer Engineering Technology Department

Indiana University and Purdue University at Fort Wayne, Indiana

ABSTRACT

The field of fiber optic communications has grown by leaps and bounds. Over the last ten years it has especially grown. With the introduction of digital electronics the ability to transfer data over thousands of miles is as simple as pushing a button. The use of light and the introduction of optoelectronics have made long distance wireless communications very simple and reliable.

This circuit uses a high quality FM free-space signal, which is based on a LM565 phase-locked-loop operating at a frequency of 3kHz (FM). This circuit may be used as wireless communications link a signaling system, or a long-range TV listening link. This report will describe the process in which I intend to use in the research and construction of a Phase Locked Looped Fiber Optics Communications Link. This project will investigate the theory of phase locked loops and the design methods needed to make the circuit work at its optimum capacity. Also, I intend to research fiber optics as well as the other electrical components in the receiver-transmitter circuit.

TABLE OF CONTENTS

ABSTRACT	ii
PREFACE	iii
CONTENTS	iv
LIST OF ILLUSTRATIONS	vii
LIST OF EQUATONS	viii
CHAPTER I	
INTRODUCTION	1
1.1 Problem Topic.....	1
1.2 Background.....	2
1.3 Criteria & Parameters.....	2
1.4 Methodology.....	2
1.5 Primary Purpose.....	3
1.6 Overview.....	3
CHAPTER II	
WHAT IS A PHASE-LOCKED LOOP	
2.1 Characteristics of the Phase-Locked Loop.....	4
2.2 Phase Detector.....	5
2.3 Characteristics of output voltage.....	5

2.4	Phase Detector Gain.....	6
2.5	Loop Filter.....	7
2.6	Voltage-Controlled Oscillator.....	8
2.7	Characteristics when designing a VCO.....	8
2.8	Characteristics of Lock and Capture Range.....	8
	2.81 Lock Range.....	9
	2.82 Capture Range.....	9

CHAPTER III FIBER OPTICS

3.1	Characteristics of Optical Fibers.....	12
3.2	Properties of Light.....	12
3.3	Fiber Structure.....	14

CHAPTER IV OPTICAL SOURCES AND DETECTORS

4.1	Optical Sources.....	16
4.2	Optical Detectors.....	17
	4.21 Quantum Efficiency.....	18
	4.22 Responsivity.....	18

CHAPTER V THE PHASE-LOCKED LOOP FIBER OPTICS LINK

5.1	The Transmitter Circuit.....	19
5.2	The Receiver Circuit.....	20

CONCLUSION.....	22
------------------------	-----------

REFERENCES.....	23
------------------------	-----------

APPENDICES

A.	Budget List.....	24
B.	Data Sheets.....	27
C.	Fabrication Information.....	69

LIST OF ILLUSTRATIONS

Figure	Page
2.0 PLL Block Diagram.....	5
2.1 Phase Detector Output Voltage.....	6
2.2 VCO output frequency vs. input voltage.....	8
2.3 PLL Capture and Lock Ranges.....	9
3.0 Snell's Law of Refraction.....	13
3.1 Basic Structure of a Fiber Optic Cable.....	14
5.0 Transmitter Circuit.....	20
5.1 Receiver Circuit.....	20
Table	
3.0 Fiber Optic Types and NA Values.....	15